

Thermoplan Milk System Cleaning Tablets

Safety Data Sheet

Thermoplan AG / www.thermoplan.ch Thermoplan-Platz 1 CH-6353 Weggis Tel. +41 41 392 12 00 Fax. +41 41 392 12 01

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Printing date: 10.08.2018

Version No: 6

Revision: 10.08.2018

· 1.1 Product identifier		
· Trade name: Thermoplan M	Milk System Cleaning Tablet	
· 1.2 Relevant identified uses	of the substance or mixture and uses adv	ised against
• Application of the substanc	e / the preparation: Milk system Cleaner	
• 1.3 Details of the supplier o	of the safety data sheet	
· Manufacturer/Supplier:		Imported & Distributed by:
Urnex Brands, Inc. 700 Executive Blvd. Elmsford, NY 10523 USA Phone: +1-914-963-2042 Fax: +1-914-963-2145	Urnex Brands, Inc. 29 Harley Street, London, W1G 9QR United Kingdom Tel: +44 (0)20 7927 6881	Nespresso Australia Level 4, 201 Miller Street, North Sydney, NSW 2060.
Email: info@urnex.com	able fuorus	Emergency Contact (24/7) Australia: 1800 182 206
• Further information obtain Urnex Brands, Inc.	table from:	Neeprose New Zeeland
700 Executive Blvd. Elmsford, NY 10523 USA Phone: +1-914-963-2042		Nespresso New Zealand Level 3, 12-16 Nicolls Lane, Parnell, Auckland, 1010.
Fax: +1-914-963-2145 Email: info@urnex.com		Emergency Contact (24/7) New Zealand: 0800 466 060
• 1.4 Emergency telephone n. Tel.: 800-424-9300 (USA) Tel.: 001-703-527-3887 (IN	<i>umber:</i> TERNATIONAL COLLECT ACCEPTED)	
SECTION 2: Hazards	identification	
· 2.1 Classification of the sub	bstance or mixture	
· 2.1 Classification of the sub	bstance or mixture Regulation (EC) No 1272/2008	
• 2.1 Classification of the sub • Classification according to	bstance or mixture Regulation (EC) No 1272/2008 skin irritation.	
• 2.1 Classification of the sub • Classification according to Skin Irrit. 2 H315 Causes Eye Irrit. 2 H319 Causes Skin Sens. 1 H317 May cau	bstance or mixture Regulation (EC) No 1272/2008 skin irritation. serious eye irritation. use an allergic skin reaction.	
• 2.1 Classification of the sub • Classification according to Skin Irrit. 2 H315 Causes & Eye Irrit. 2 H319 Causes &	bstance or mixture Regulation (EC) No 1272/2008 skin irritation. serious eye irritation. use an allergic skin reaction.	
 2.1 Classification of the sub Classification according to Skin Irrit. 2 H315 Causes : Eye Irrit. 2 H319 Causes : Skin Sens. 1 H317 May cau STOT SE 3 H335 May cau Classification according to Xi; Irritant 	bstance or mixture Regulation (EC) No 1272/2008 skin irritation. serious eye irritation. use an allergic skin reaction. use respiratory irritation. Directive 67/548/EEC or Directive 1999/4	15/EC
 2.1 Classification of the sub Classification according to Skin Irrit. 2 H315 Causes : Eye Irrit. 2 H319 Causes : Skin Sens. 1 H317 May cau STOT SE 3 H335 May cau Classification according to Xi; Irritant 	bstance or mixture Regulation (EC) No 1272/2008 skin irritation. serious eye irritation. use an allergic skin reaction. use respiratory irritation.	15/EC
2.1 Classification of the sub Classification according to Skin Irrit. 2 H315 Causes Eye Irrit. 2 H319 Causes Skin Sens. 1 H317 May cau STOT SE 3 H335 May cau Classification according to Xi; Irritant R36/37/38: Irritating to e Xi; Sensitising	bstance or mixture Regulation (EC) No 1272/2008 skin irritation. serious eye irritation. use an allergic skin reaction. use respiratory irritation. Directive 67/548/EEC or Directive 1999/4 yes, respiratory system and skin.	15/EC
2.1 Classification of the sub Classification according to Skin Irrit. 2 H315 Causes Eye Irrit. 2 H319 Causes Skin Sens. 1 H317 May cau STOT SE 3 H335 May cau Classification according to Xi; Irritant R36/37/38: Irritating to e Xi; Sensitising R43: May cause set Information concerning pa The product has to be label preparations of the EU" in to Classification system:	bstance or mixture Regulation (EC) No 1272/2008 skin irritation. serious eye irritation. use an allergic skin reaction. use respiratory irritation. Directive 67/548/EEC or Directive 1999/4 yes, respiratory system and skin. nsitisation by skin contact. rticular hazards for human and environm led due to the calculation procedure of th	nent: e "General Classification guideline for
2.1 Classification of the sub Classification according to Skin Irrit. 2 H315 Causes Eye Irrit. 2 H319 Causes Skin Sens. 1 H317 May cau STOT SE 3 H335 May cau Classification according to Xi; Irritant R36/37/38: Irritating to e Xi; Sensitising R43: May cause set Information concerning par The product has to be label preparations of the EU" in t Classification system: The classification is accord data.	bstance or mixture Regulation (EC) No 1272/2008 skin irritation. serious eye irritation. use an allergic skin reaction. use respiratory irritation. Directive 67/548/EEC or Directive 1999/4 yes, respiratory system and skin. nsitisation by skin contact. rticular hazards for human and environm led due to the calculation procedure of th the latest valid version.	nent: e "General Classification guideline for
2.1 Classification of the sub Classification according to Skin Irrit. 2 H315 Causes Eye Irrit. 2 H319 Causes Skin Sens. 1 H317 May cau STOT SE 3 H335 May cau Classification according to Xi; Irritant R36/37/38: Irritating to e Xi; Sensitising R43: May cause set Information concerning pat The product has to be label preparations of the EU" in the Classification system: The classification is accord.	bstance or mixture Regulation (EC) No 1272/2008 skin irritation. serious eye irritation. use an allergic skin reaction. use respiratory irritation. Directive 67/548/EEC or Directive 1999/4 yes, respiratory system and skin. nsitisation by skin contact. rticular hazards for human and environm led due to the calculation procedure of th the latest valid version.	nent: e "General Classification guideline for
 2.1 Classification of the sub- Classification according to Skin Irrit. 2 H315 Causes I Eye Irrit. 2 H319 Causes I Skin Sens. 1 H317 May cau STOT SE 3 H335 May cau Classification according to Xi; Irritant R36/37/38: Irritating to e Xi; Sensitising R43: May cause set Information concerning pa The product has to be label preparations of the EU" in t Classification system: The classification is accord data. 2.2 Label elements Labelling according to Regular 	bstance or mixture Regulation (EC) No 1272/2008 skin irritation. serious eye irritation. use an allergic skin reaction. use respiratory irritation. Directive 67/548/EEC or Directive 1999/4 yes, respiratory system and skin. nsitisation by skin contact. rticular hazards for human and environm led due to the calculation procedure of th the latest valid version.	nent: e "General Classification guideline for nd extended by company and literature



*

×

Printing date: 10.08.2018

Version No: 6

Revision: 10.08.2018

Trade name: Thermoplan Milk System Cleaning Tablet

(Contd. of page 1) · Hazard pictograms · Signal word Warning · Hazard-determining components of labelling: maleic acid · Hazard statements H315 Causes skin irritation. H319 Causes serious eye irritation. H317 May cause an allergic skin reaction. H335 May cause respiratory irritation. · Precautionary statements P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P280 Wear protective gloves/protective clothing/eye protection/face protection. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P362 Take off contaminated clothing and wash before reuse. P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. P312 Call a POISON CENTER or doctor/physician if you feel unwell. P405 Store locked up. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. · 2.3 Other hazards · Results of PBT and vPvB assessment

• **PBT:** Not determined

• vPvB: Not determined

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterization: Mixtures

· Dangerous components:		
CAS: 77-92-9	citric acid	< 50%
EINECS: 201-069-1	🗙 Xi R36	
	🚯 Eye Irrit. 2, H319	
CAS: 110-16-7	maleic acid	< 24.5%
EINECS: 203-742-5	🗙 Xn R22; 🗙 Xi R36/37/38; 🗙 Xi R43	
Index number: 607-095-00-3	() Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335	
CAS: 5329-14-6	sulphamidic acid	~ 10%
EINECS: 226-218-8	Xi R36/38	
Index number: 016-026-00-0	<u>R5</u> 2/53	
	🚸 Skin Irrit. 2, H315; Eye Irrit. 2, H319; Aquatic Chronic 3, H412	
CAS: 139-08-2	miristalkonium chloride	0.5%
EINECS: 205-352-0	🛃 C R34; 🗙 Xn R21/22; 🗙 Xi R36; 🌄 N R50	
	♦ Skin Corr. 1B, H314; ♦ Aquatic Acute 1, H400; ♦ Acute Tox. 4, H302; Acute Tox. 4, H312	
	. (Con	td. on page 3



Version No: 6

Revision: 10.08.2018

(Contd. of page 2)

Trade name: Thermoplan Milk System Cleaning Tablet

• Additional information: For the wording of the listed risk phrases refer to section 16.

SECTION 4: First aid measures

- 4.1 Description of first aid measures
- General information:
- Take affected persons out of danger area and lay down.
- Immediately remove any clothing soiled by the product.
- After inhalation:
- Supply fresh air and to be sure call for a doctor.
- In case of unconsciousness place patient stably in side position for transportation.
- *After skin contact: Immediately wash with water and soap and rinse thoroughly.*
- After eye contact:
- *Rinse opened eye for several minutes under running water. Then consult a doctor. Remove contact lenses, if present and easy to do. Continue rinsing.*

• After swallowing:

- Rinse out mouth and then drink plenty of water.
- If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Use fire extinguishing methods suitable to surrounding conditions.

- For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture
- Formation of toxic gases is possible during heating or in case of fire.
- In case of fire, the following can be released:
- Carbon monoxide (CO)
- 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.
- · Additional information
- Cool endangered receptacles with water spray.
- Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation.
Wear protective clothing. Avoid formation of dust.
6.2 Environmental precautions: Dilute with plenty of water.
Do not allow to enter sewers/ surface or ground water.
6.3 Methods and material for containment and cleaning up: Pick up mechanically.
Ensure adequate ventilation.
Dispose of the material collected according to regulations.

(Contd. on page 4)

GB



Version No: 6

(Contd. on page 5)

• **6.4 Reference to other sections** See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7: Handling and storage

Trade name: Thermoplan Milk Sytem Cleaning Tablet

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Any unavoidable deposit of dust must be regularly removed.

• Information about fire and explosion protection: Keep respiratory protective device available.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

• Requirements to be met by storerooms and receptacles: Store only in the original receptacle.

- · Information about storage in one common storage facility: Store away from oxidizing agents.
- Further information about storage conditions:

Keep container tightly sealed.

Store under lock and key and out of the reach of children. Protect from humidity and water.

• 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

• Ingredients with limit values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· 8.2 Exposure controls

- · Personal protective equipment:
- General protective and hygienic measures:

Do not inhale dust / smoke / mist.

Immediately remove all soiled and contaminated clothing.

Avoid contact with the eyes and skin.

The usual precautionary measures are to be adhered to when handling chemicals.

• Respiratory protection: Not necessary if room is well-ventilated.

· Protection of hands:



Protective gloves

Avoid direct contact with the chemical/ the product/ the preparation by organizational measures. To avoid skin problems reduce the wearing of gloves to the required minimum.

Check protective gloves prior to each use for their proper condition.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. • *Material of gloves*

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

≥ 480 min

Printing date: 10.08.2018



Revision: 10.08.2018

(Contd. of page 3)

Version No: 6

Trade name: Thermoplan Milk System Cleaning Tablet

(Contd. of page 4) The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• For the permanent contact gloves made of the following materials are suitable:

Butyl rubber, BR

Fluorocarbon rubber (Viton)

• Eye protection: Safety glasses

• Body protection: Protective work clothing

SECTION 9: Physical and chemical properties

• 9.1 Information on basic physical and chemical properties		
• General Information		
· Appearance:		
Form:	Solid	
Colour:	White	
· Odour:	Characteristic	
· Odour threshold:	Not determined.	
• pH-value (10 g/l) at 20 °C:	2 - 2.5	
· Change in condition		
Melting point/Melting range:	Not determined.	
Boiling point/Boiling range:	Not determined.	
· Flash point:	Not determined.	
· Flammability (solid, gaseous):	Not determined.	
· Ignition temperature:	Not determined.	
· Decomposition temperature:	Not determined.	
·Self-igniting:	Product is not selfigniting.	
· Danger of explosion:	Product does not present an explosion hazard.	
• Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
· Oxidizing properties	No	
· Vapour pressure:	Not applicable.	
· Density:	Not determined.	
· Relative density	Not determined.	
· Vapour density	Not applicable.	
· Evaporation rate	Not applicable.	
· Solubility in / Miscibility with		
water:	Soluble.	
Partition coefficient (n-octanol/water): Not determined.		
· Viscosity:		
Dynamic:	Not applicable.	
Kinematic:	Not applicable.	
· 9.2 Other information	No further relevant information available.	

(Contd. on page 6)



*

Version No: 6

Revision: 10.08.2018

Trade name: Thermoplan Milk System Cleaning Tablet

(Contd. of page 5)

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

- 10.2 Chemical stability No decomposition if used and stored according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials:

Reacts with strong oxidizing agents.

Reducing agent

Reacts with strong acids and alkali.

· 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

· Acute toxicity:

· LD/LC50 values relevant for classification:

77-92-9 citric acid

Oral LD50 5040 mg/kg (Mouse)

11700 mg/kg (Rat)

110-16-7 maleic acid

Oral LD50 708 mg/kg (Rat)

Dermal LD50 1560 mg/kg (Rabbit)

5329-14-6 sulphamidic acid

Oral LD50 3160 mg/kg (Rat)

- · Primary irritant effect:
- on the skin: Irritant to skin and mucous membranes.
- on the eye: Irritating effect.
- · Sensitization: Sensitization possible through skin contact.
- Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version: Irritant

• Toxicokinetics, metabolism and distribution No further relevant information available.

• Acute effects (acute toxicity, irritation and corrosivity) No further relevant information available.

· Repeated dose toxicity No further relevant information available.

· CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

No further relevant information available.

SECTION 12: Ecological information

· 12.1 Toxicity

• Aquatic toxicity:

77-92-9 citric acid

EC0 (48h) 10000 mg/L (Bacteria)

LC50 (96h) 440-706 mg/L (Fish)

· 12.2 Persistence and degradability No further relevant information available.

· 12.3 Bioaccumulative potential No further relevant information available.





according to 1907/2006/EC, Article 31

Version No: 6

Safety data sheet

Trade name: Thermoplan Milk System Cleaning Tablet

(Contd. of page 6)

Revision: 10.08.2018

· 12.4 Mobility in soil No further relevant information available.

• Additional ecological information:

· General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow product to reach ground water, water course or sewage system.

· 12.5 Results of PBT and vPvB assessment

- · **PBT:** Not determined
- · vPvB: Not determined

· 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

• 13.1 Waste treatment methods

• **Recommendation:** Must be specially treated adhering to official regulations.

· Uncleaned packaging

- *Recommendation: Disposal must be made according to official regulations.*
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information

• 14.1 UN-Number		
· ADR, IMDG, IATA	Void	
· 14.2 UN proper shipping name		
· ADR, IMDG, IATA	Void	
· 14.3 Transport hazard class(es)		
· ADR, IMDG, IATA		
· Class	Void	
· 14.4 Packing group		
· ADR, IMDĞ, IATA	Void	
· 14.5 Environmental hazards:		
· Marine pollutant:	No	
· 14.6 Special precautions for user	Not applicable.	
· 14.7 Transport in bulk according to Annex II of		
MARPOL73/78 and the IBC Code:	Not applicable.	
· Transport/Additional information:	Not dangerous according to the above specifications.	
· UN "Model Regulation":	-	

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- · Labelling according to Regulation (EC) No 1272/2008
- · Precautionary statements

Avoid breathing dust/fume/gas/mist/vapours/spray.

Wear protective gloves/protective clothing/eye protection/face protection.

(Contd. on page 8)

GB



Revision: 10.08.2018

Trade name: Thermoplan Milk System Cleaning Tablet

(Contd. of page 7)

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

- H302 Harmful if swallowed.
- H312 Harmful in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.
- H335 May cause respiratory irritation.
- H400 Very toxic to aquatic life.

H412 Harmful to aquatic life with long lasting effects.

- *R21/22* Harmful in contact with skin and if swallowed.
- R22 Harmful if swallowed.
- *R34* Causes burns.

R36 Irritating to eyes.

R36/37/38 Irritating to eyes, respiratory system and skin.

- *R36/38* Irritating to eyes and skin.
- R43 May cause sensitisation by skin contact.
- R50 Very toxic to aquatic organisms.

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment. *R52/53*

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

Acute Tox. 4: Acute toxicity, Hazard Category 4

Skin Corr. 1B: Skin corrosion/irritation, Hazard Category 1B

Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2

Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2

Skin Sens. 1: Sensitisation - Skin, Hazard Category 1

STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3

Aquatic Acute 1: Hazardous to the aquatic environment - AcuteHazard, Category 1

Aquatic Chronic 3: Hazardous to the aquatic environment - Chronic Hazard, Category 3

* Data compared to the previous version altered.





Printing date: 10.08.2018

Version No: 6